



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

SW

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,540	08/19/2003	Konstantinos Donos	103895-49750	4250

26345 7590 12/08/2004

GIBBONS, DEL DEO, DOLAN, GRIFFINGER & VECCHIONE
1 RIVERFRONT PLAZA
NEWARK, NJ 07102-5497

EXAMINER

GEHMAN, BRYON P

ART UNIT	PAPER NUMBER
----------	--------------

3728

DATE MAILED: 12/08/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/643,540

Applicant(s)

DONOS, KONSTANTINOS

Examiner

Bryon P. Gehman

Art Unit

3728

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 January 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 8/19/03.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 3728

1. The provided non-patent literature mentions a patent "2001919". As part of applicant's duty to disclose, a copy of this patent should be furnished in response to this Office action.

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 6 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. In claim 6, line 1, "the cover" is inconsistent with the previous recitation "at least one cover" and "the further one..." lacks antecedent basis.

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-4 and 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over the non-patent literature to S. Braune in view of Goldsholl (Figures 7-9) (2,966,293). Braune discloses the claimed structure except for at least one cover having a size at least approximating the open base area defined by the periphery of the ashtray to entirely close off the open base area. Goldsholl discloses an ashtray including at least one cover (12' and 12a) having a size at least approximating an open base area

Art Unit: 3728

defined by the periphery of the ashtray to entirely close off the open base area. To modify the ashtray of Braune employing the cover teaching of Goldsholl would have been obvious in order to close off the inside of the ashtray from the external environment.

As to claim 2, Goldsholl further discloses providing an ashtray from cardboard.

As to claims 3 and 4, Braune discloses converging and diverging fold lines and a panel aperture.

As to claim 8, Goldsholl discloses only one cover.

As to claim 9, both references disclose at least one panel longer than the others.

6. Claims 5-7 and 10-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over the art as applied to claim 1 above, and further in view of Berger (1,597,757). Berger discloses a cover arrangement including a slot (4) and protrusion (5) construction. To modify the prior art combination employing a slot and protrusion arrangement would have been obvious in order to secure the cover in a closed position, as disclosed by Berger.

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Shown are ashtrays with covers.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryon P. Gehman whose telephone number is (571)

Art Unit: 3728

272-4555. The examiner can normally be reached on Monday through Wednesday from 5:30am to 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu, can be reached on (571) 272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-4555.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Bryon P. Gehman
Primary Examiner
Art Unit 3728

BPG